

Message

From: Nonresponsive based on revised scope
Sent: 4/8/2020 3:47:20 PM
To: Nonresponsive based on revised scope; Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: [EXT]RE: Shiloh Church Rd/3-S467[3095363]

PCBs were 9.7 mg/kg; total Pb 6,670 ppm - sampled 8/21/19

Nonresponsive based on revised scope

-----Original Message-----

From: Nonresponsive based on revised scope
Sent: Wednesday, April 08, 2020 11:45
To: Nonresponsive based on revised scope; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: [EXT]RE: Shiloh Church Rd/3-S467[3095363]

** External Email **

Ex. 5 Deliberative Process (DP)

Nonresponsive based on revised scope

-----Original Message-----

From: Nonresponsive based on revised scope
Sent: Wednesday, April 8, 2020 11:43 AM
To: Nonresponsive based on revised scope; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: [EXT]RE: Shiloh Church Rd/3-S467[3095363]

CAUTION This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

This is the former meeting location, Chris's parking (Staging not Staying).

TCLP Cd = 0.38
TCLP Pd = 63.7

Thank you,

Nonresponsive based on revised scope

-----Original Message-----

From: Nonresponsive based on revised scope
Sent: Wednesday, April 08, 2020 11:39
To: Wagner, Christine <Wagner.Christine@epa.gov>; Nonresponsive based on revised scope
Subject: FW: Shiloh Church Rd/3-S467[3095363]

** External Email **

Please see lab tc1p data for Area 2

Nonresponsive based on revised scope

-----Original Message-----

From: Nonresponsive based on revised scope
Sent: Wednesday, April 8, 2020 11:31 AM
To: Nonresponsive based on revised scope; @erllc.com
Subject: Shiloh Church Rd/3-S467[3095363]

The following reports are attached:

WO 3095363 , Work ID Shiloh Church Rd/3-S467 []

--- End of List ---

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify [by return e-mail](#). Thank you.

WARNING: External Email: This email originated outside of [Nonresponsive based on revised scope](#). DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of [Nonresponsive based on revised scope](#) is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of [Nonresponsive based on revised scope](#) is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.